

Object			
new	AnimatedButton	DialogExtensions (M)	DlgArea
<pre> = \= == \== <> >> "" (abuttal) " " (blank) class copy defaultName hashCode hasMethod identityHash init instanceMethod instanceMethods isA, isInstanceOf objectName[=] request run setMethod start string unsetMethod </pre>	<pre> getPos getSprite hitBottom hitLeft hitRight hitTop init movePos moveSeq moveTo parentDlg[=] parentStopped run setDelay setFromTo setMove setPos setSmooth setSprite setStep stop stopped[=] </pre>	<pre> addAutoStartMethod addBitmapButton asyncMessageHandling backgroundBitmap backgroundColor bkgBitmap[=] bkgBrushBMP[=] captureMouse changeBitmapButton checkMenuItem clear clearButtonRect clearRect clearWindowRect combineELwithSB connectAllSBEvents connectAnimatedButton connectBitmapButton connectDraw connectMenuItem connectMouseCapture connectMove connectPosChanged connectResize connectScrollBar createBrush determineSBPosition dimBitmap disableMenuItem displaceBitmap drawBitmap drawButton dump enableMenuItem endAsyncExecution clearRect clearWindowRect combineELwithSB connectAllSBEvents connectAnimatedButton connectBitmapButton connectDraw connectMenuItem connectMouseCapture connectMove connectPosChanged </pre>	<pre> ::requires dlgarea.cls b[=] cx cy h height[=] hr init l[=] lastX[=] lastY[=] left[=] margin[=] r[=] sizeX sizeY t[=] top[=] w width[=] wr x y </pre>
			DlgAreaU
			<pre> correctionFactor[=] init lastError[=] noMove[=] noResize[=] originalHeight[=] originalWidth[=] resize </pre>

Object (continued)

Object (continued)			
DynamicDialog (M)	PlainBaseDialog	WindowBase (M)	WindowExtensions (M)
<pre> addBlackFrame addBlackRect addButton addButtonGroup addCheckBox addCheckBoxStem addCheckGroup addComboBox addComboInput addEntryLine addGrayFrame addGrayRect addGroupBox addIcon addInput addInputGroup addInputStem addListBox addOkCancelLeftBottom addOkCancelLeftTop addOkCancelRightBottom addOkCancelRightTop addPasswordLine addRadioButton addRadioGroup addRadioStem addScrollBar addText addWhiteFrame addWhiteRect </pre>	<pre> aktPtr[=] basePtr[=] checkFile checkID create createCenter defineDialog dialogItemCount[=] dynamicInit errorFile getDefaultOpts getStaticID initAutoDetection internAddrBCBgroup internAddrBCBstem internAddrCButton internAddrC_RBCB internAddStatic internGetRCStyle itemAdd load loadFrame loadItems menuAktPtr[=] menuBasePtr[=] menuMemHandle[=] startIt stopDynamic </pre>	<pre> assignWindow disable enable factorX[=] factorY[=] getID getPos getSize getSystemMetrics getTextSize hide Hwnd[=] initCode[=] init_windowBase isEnabled isVisible move resize setTitle show sizeX[=] sizeY[=] title[=] unknown </pre>	<pre> absRect2LogRect clientToScreen createBrush createFont createPen cursorPos cursor_AppStarting cursor_Arrow cursor_Cross cursor_No cursor_Wait deleteFont deleteObject display draw drawAngleArc drawArc drawLine drawPie drawPixel fillDrawing fontColor fontToDC foregroundWindow freeDC getArcDirection getClientRect getDC getPixel getRect getStdTextSize hideFast HScrollPos init_windowExtensions loadBitmap logRect2AbsRect maximize minimize objectToDC opaqueText rectangle redraw redrawClient removeBitmap restoreCursorShape RGB screenToClient scroll setArcDirection setCursorPos setFont setForegroundWindow setHScrollPos setRect setVScrollPos showFast transparentText update VScrollPos write writeDirect </pre>
	BaseDialog	PlainUserDialog	MultiInputDialog
	<pre> +DialogExtensions +WindowExtensions ::requires oodialog.cls cf. next page! ... </pre>	<pre> +DynamicDialog ::requires oodplain.cls </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>
	ResDialog	CheckBox	SingleSelection
	<pre> ::requires oodialog.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>
	UserDialog	InputDialog	TimedMessage
	<pre> + DynamicDialog ::requires oodialog.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>
	CategoryDialog	IntegerBox	PasswordBox
	<pre> ::requires oodialog.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>
	RcDialog	ListBox	ListChoice
	<pre> ::requires oodialog.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>	<pre> ::requires oodplain.cls cf. next page! ... </pre>
		MultiListChoice	
		<pre> ::requires oodplain.cls cf. next page! ... </pre>	
		(M) ... class created as a mixin class	

... **Object** (continued) (CONTINUED FROM PREVIOUS PAGE!) ...

PlainBaseDialog						
+WindowBase						
addAttribute	connectCheckBox	disconnectKeyPress	getCurrentListIndex	initDialog	processingLoad[=]	setValue
addComboEntry	connectComboBox	dlgData	getData	insertComboEntry	resize	setWindowTitle
addListEntry	connectControl	dlgHandle[=]	getDataStem	insertListEntry	resolveSymbolicID	show
addUserMsg	connectEntryLine	enableItem	getEntryLine	internalGetItemData	run	showItem
aDM[=]	connectFKeyPress	ensureVisible	getItem	internalSetItemData	setAttrib	showWindow
autoDetect[=]	connectHelp	execute	getListEntry	isDialogActive	setCheckBox	stopIt
autoDetection	connectKeyPress	findComboEntry	getListItems	isMaximized	setComboLine	tabToNext
automaticMethods[=]	connectList	findListEntry	getListLine	isMinimized	setCurrentComboIndex	tabToPrevious
boxMessage	connectListBox	finished[=]	getMultiList	itemTitle	setCurrentListIndex	toTheTop
cancel	connectListLeftDoubleClick	focusItem	getRadioButtons	leaving	setData	unInit
center	connectMultiListBox	get	getSelf	listAddDirectory	setDataStem	useStem[=]
changeComboEntry	connectRadioButton	getAttrib	getValue	listDrop	setEntryLine	validate
changeListEntry	connectSeparator	getCheckBox	handleMessages	makeArray	setGroup	windowTitle
childDialogs[=]	constDir[=]	getComboEntry	hasKeyPressConnection	maximize	setListLine	
childDied	dataConnection[=]	getComboItems	help	minimize	setListTabulators	
clearMessages	deInstall	getComboLine	hideItem	noAutoDetection	setMultiList	
comboAddDirectory	deleteComboEntry	getControlID	hideWindow	OK	setRadioButton	
comboDrop	deleteListEntry	getControlStyleRaw	init	parentDlg[=]	setStaticText	
connectButton	disableItem	getCurrentComboIndex	initAutoDetection	parseIncludeFile	setTabStop	

BaseDialog	
+DialogExtensions	
+WindowExtensions	
<i>::requires oodialog.cls</i>	
init	scrollNow[=]

ResDialog			
<i>::requires oodialog.cls</i>			
init	setMenu	startIt	stopIt

UserDialog			
+DynamicDialog			
<i>::requires oodialog.cls</i>			
addMenuItem	addPopupMenu	init	setMenu
addMenuSeparator	createMenu	loadMenu	stopIt

CategoryDialog						
<i>::requires oodialog.cls</i>						
addCategoryComboEntry	connectCheckBox	findCategoryComboEntry	getCurrentCategoryListIndex	setCategoryComboLine		
addCategoryListEntry	connectComboBox	findCategoryListEntry	getDefaultOpts	setCategoryEntryLine		
boxMessage	connectEntryLine	focusCategoryItem	getItem	setCategoryItemFont		
catalog[=]	connectListBox	getCategoryAttrib	getSelectedPage	setCategoryListColumnWidth		
catCX[=]	connectListControl	getCategoryCheckBox	hideCategoryItem	setCategoryListItemHeight		
categoryComboAddDirectory	connectMultiListBox	getCategoryComboEntry	init	setCategoryListLine		
categoryComboDrop	connectRadioButton	getCategoryComboItems	initCategories	setCategoryListTabulators		
categoryListAddDirectory	connectSeparator	getCategoryComboLine	initDialog	setCategoryListWidth		
categoryListDrop	connectSliderControl	getCategoryEntryLine	insertCategoryComboEntry	setCategoryMultiList		
categoryPage	connectTabControl	getCategoryListEntry	insertCategoryListEntry	setCategoryRadioButton		
catLabel[=]	connectTreeControl	getCategoryListItemHeight	moveCategoryItem	setCategoryStaticText		
catMax[=]	createCategoryDialog	getCategoryListItems	nextPage	setCategoryValue		
catStyle[=]	currentCategory	getCategoryListLine	pageHasChanged	setCurrentCategoryComboIndex		
catX[=]	defineDialog	getCategoryListWidth	previousPage	setCurrentCategoryListIndex		
catY[=]	deleteCategoryComboEntry	getCategoryMultiList	resizeCategoryItem	showCategoryItem		
changeCategoryComboEntry	deleteCategoryListEntry	getCategoryRadioButton	sendMessageToCategoryItem	startIt		
changeCategoryListEntry	disableCategoryItem	getCategoryValue	setCategoryAttrib	staticID[=]		
changePage	enableCategoryItem	getCurrentCategoryComboIndex	setCategoryCheckBox	wizard[=]		

RcDialog
<i>::requires oodialog.cls</i>
init

PlainUserDialog	
+DynamicDialog	

::requires oodplain.cls

CheckBox
<i>::requires oodplain.cls</i>
cf. next page! ...

MultiInputDialog
<i>::requires oodplain.cls</i>
cf. next page! ...

InputDialog
<i>::requires oodplain.cls</i>
cf. next page! ...

SingleSelection
<i>::requires oodplain.cls</i>
cf. next page! ...

IntegerBox
<i>::requires oodplain.cls</i>
cf. next page! ...

TimedMessage
<i>::requires oodplain.cls</i>
cf. next page! ...

PasswordBox
<i>::requires oodplain.cls</i>
cf. next page! ...

ListChoice
<i>::requires oodplain.cls</i>
cf. next page! ...

MultiListChoice
<i>::requires oodplain.cls</i>
cf. next page! ...

... **Object** (continued) (CONTINUED FROM PREVIOUS PAGE!) ...

PlainBaseDialog

+WindowBase

addAttribute	connectCheckBox	disconnectKeyPress	getCurrentListIndex	initDialog	processingLoad[=]	setValue
addComboEntry	connectComboBox	dlgData	getData	insertComboEntry	resize	setWindowTitle
addListEntry	connectControl	dlgHandle[=]	getDataStem	insertListEntry	resolveSymbolicID	show
addUserMsg	connectEntryLine	enableItem	getEntryLine	internalGetItemData	run	showItem
aDM[=]	connectFKeyPress	ensureVisible	getItem	internalSetItemData	setAttrib	showWindow
autoDetect[=]	connectHelp	execute	getListEntry	isDialogActive	setCheckBox	stopIt
autoDetection	connectKeyPress	findComboEntry	getListItems	isMaximized	setComboLine	tabToNext
automaticMethods[=]	connectList	findListEntry	getListLine	isMinimized	setCurrentComboIndex	tabToPrevious
boxMessage	connectListBox	finished[=]	getMultiList	itemTitle	setCurrentListIndex	toTheTop
cancel	connectListLeftDoubleClick	focusItem	getRadioButton	leaving	setData	unInit
center	connectMultiListBox	get	getSelf	listAddDirectory	setDataStem	useStem[=]
changeComboEntry	connectRadioButton	getAttrib	getValue	listDrop	setEntryLine	validate
changeListEntry	connectSeparator	getCheckBox	handleMessages	makeArray	setGroup	windowTitle
childDialogs[=]	constDir[=]	getComboEntry	hasKeyPressConnection	maximize	setListLine	
childDied	dataConnection[=]	getComboItems	help	minimize	setListTabulators	
clearMessages	deInstall	getComboLine	hideItem	noAutoDetection	setMultiList	
comboAddDirectory	deleteComboEntry	getControlID	hideWindow	OK	setRadioButton	
comboDrop	deletelistEntry	getControlStyleRaw	init	parentDlg[=]	setStaticText	
connectButton	disableItem	getCurrentComboIndex	initAutoDetection	parseIncludeFile	setTabStop	

BaseDialog

+DialogExtensions

+WindowExtensions

`::requires oodialog.cls`
`cf. previous page! ...`

ResDialog

`::requires oodialog.cls`
`cf. previous page! ...`

UserDialog

+DynamicDialog
`::requires oodialog.cls`
`cf. previous page! ...`

CategoryDialog

`::requires oodialog.cls`
`cf. previous page! ...`

RcDialog

`::requires oodialog.cls`
`cf. previous page! ...`

PlainUserDialog

+DynamicDialog

`::requires oodplain.cls`

CheckList

`::requires oodplain.cls`
defineDialog
execute
init

InputBox

`::requires oodplain.cls`
addLine init
defineDialog sx[=]
execute sy[=]

IntegerBox

`::requires oodplain.cls`
validate

PasswordBox

`::requires oodplain.cls`
addLine

ListChoice

`::requires oodplain.cls`
defineDialog lenX[=]
dlgX[=] lenY[=]
dlgY[=] message[=]
execute sx[=]
init sy[=]
initDialog

MultiListChoice

`::requires oodplain.cls`
defineDialog

MultiInputDialog


`::requires oodplain.cls`
defineDialog
execute
init

SingleSelection

`::requires oodplain.cls`
defineDialog
execute
init

TimedMessage

`::requires oodplain.cls`
defineDialog
execute
init
initAutoDetection



Class Name (Alphabetically Sorted)	Immediate Superclass
AnimatedButton	Object
BaseDialog	PlainBaseDialog
CategoryDialog	UserDialog
CheckList	PlainUserDialog
DialogExtensions (M)	Object
DlgArea	Object
DlgAreaU	DlgArea
DynamicDialog (M)	Object
InputDialog	PlainUserDialog
IntegerBox	InputDialog
ListChoice	PlainUserDialog
MultiInputDialog	PlainUserDialog
MultiListChoice	ListChoice
Object	n/a
PasswordBox	InputDialog
PlainBaseDialog	Object
PlainUserDialog	PlainBaseDialog
RcDialog	UserDialog
ResDialog	BaseDialog
SingleSelection	PlainUserDialog
TimedMessage	PlainUserDialog
UserDialog	BaseDialog
WindowBase (M)	Object
WindowExtensions (M)	Object