

ooRexx

Documentation 5.2.0

Open Object Rexx

RxMath Math Functions Reference



ooRexx Documentation 5.2.0 Open Object Rexx

RxMath Math Functions Reference

Edition 2025.05.04 (last revised on 2025-05-04 with r12979)

Author	W. David Ashley
Author	Rony G. Flatscher
Author	Mark Hessling
Author	Rick McGuire
Author	Lee Peedin
Author	Oliver Sims
Author	Erich Steinböck
Author	Jon Wolfers

Copyright © 2005-2025 Rexx Language Association. All rights reserved.

Portions Copyright © 1995, 2004 IBM Corporation and others. All rights reserved.

This documentation and accompanying materials are made available under the terms of the Common Public License v1.0 which accompanies this distribution. A copy is also available as an appendix to this document and at the following address: <https://www.oorexx.org/license.html>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Rexx Language Association nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Preface	iv
1. Document Conventions	iv
1.1. Typographic Conventions	iv
1.2. Notes and Warnings	iv
2. How to Read the Syntax Diagrams	v
3. Getting Help and Submitting Feedback	vi
3.1. The Open Object Rexx SourceForge Site	vi
3.2. The Rexx Language Association Mailing List	vii
4. Related Information	viii
1. Introduction	1
1.1. Using the RxMath package	1
1.2. Error Handling and Function Returns	1
1.3. Package Limitations	1
2. Functions	3
2.1. MathLoadFuncs()	3
2.2. MathDropFuncs()	3
2.3. RxCalcSqrt()	4
2.4. RxCalcExp()	4
2.5. RxCalcLog()	4
2.6. RxCalcLog10()	5
2.7. RxCalcSinH()	5
2.8. RxCalcCosH()	5
2.9. RxCalcTanH()	5
2.10. RxCalcPower()	6
2.11. RxCalcSin()	6
2.12. RxCalcCos()	7
2.13. RxCalcTan()	7
2.14. RxCalcCotan()	8
2.15. RxCalcPi()	8
2.16. RxCalcArcSin()	9
2.17. RxCalcArcCos()	9
2.18. RxCalcArcTan()	10
A. Notices	11
A.1. Trademarks	11
A.2. Source Code For This Document	12
B. Common Public License Version 1.0	13
B.1. Definitions	13
B.2. Grant of Rights	13
B.3. Requirements	14
B.4. Commercial Distribution	14
B.5. No Warranty	15
B.6. Disclaimer of Liability	15
B.7. General	15
C. Revision History	17
Index	18

Preface

This book describes the Open Object Rexx Math Function Library.

This book is intended for people who plan to develop applications using Rexx. Its users range from the novice, who might have experience in some programming language but no Rexx experience, to the experienced application developer, who might have had some experience with Object Rexx.

This book is a reference rather than a tutorial. It assumes you are already familiar with object-oriented programming concepts.

Descriptions include the use and syntax of the language and explain how the language processor "interprets" the language as a program is running.

1. Document Conventions

This manual uses several conventions to highlight certain words and phrases and draw attention to specific pieces of information.

1.1. Typographic Conventions

Typographic conventions are used to call attention to specific words and phrases. These conventions, and the circumstances they apply to, are as follows.

Mono-spaced Bold is used to highlight literal strings, class names, or inline code examples. For example:

The **Class** class comparison methods return **.true** or **.false**, the result of performing the comparison operation.

This method is exactly equivalent to **subWord(*n*, 1)**.

Mono-spaced Normal denotes method names or source code in program listings set off as separate examples.

This method has no effect on the action of any `hasEntry`, `hasIndex`, `items`, `remove`, or `supplier` message sent to the collection.

```
-- reverse an array
a = .Array~of("one", "two", "three", "four", "five")

-- five, four, three, two, one
aReverse = .CircularQueue~new(a~size)~appendAll(a)~makeArray("lifo")
```

Proportional Italic is used for method and function variables and arguments.

A supplier loop specifies one or two control variables, *index*, and *item*, which receive a different value on each repetition of the loop.

Returns a string of length *length* with *string* centered in it and with *pad* characters added as necessary to make up length.

1.2. Notes and Warnings

Finally, we use three visual styles to draw attention to information that might otherwise be overlooked.

**Note**

Notes are tips, shortcuts or alternative approaches to the task at hand. Ignoring a note should have no negative consequences, but you might miss out on a trick that makes your life easier.

**Important**

Important boxes detail things that are easily missed, like mandatory initialization. Ignoring a box labeled 'Important' will not cause data loss but may cause irritation and frustration.


**Warning**

Warnings should not be ignored. Ignoring warnings will most likely cause data loss.


2. How to Read the Syntax Diagrams

Throughout this book, syntax is described using the structure defined below.

- Read the syntax diagrams from left to right, from top to bottom, following the path of the line.

The  symbol indicates the beginning of a statement.

The  symbol indicates that the statement syntax is continued on the next line.


The  symbol indicates that a statement is continued from the previous line.

The  symbol indicates the end of a statement.


- Required items appear on the horizontal line (the main path).




- Optional items appear below the main path.




- If you can choose from two or more items, they appear vertically, in a stack. If you must choose one of the items, one item of the stack appears on the main path.




- If choosing one of the items is optional, the entire stack appears below the main path.



- If one of the items is the default, it is usually the topmost item of the stack of items below the main path.



- A path returning to the left above the main line indicates an item that can be repeated.




A repeat path above a stack indicates that you can repeat the items in the stack.

- A pointed rectangle around an item indicates that the item is a fragment, a part of the syntax diagram that appears in greater detail below the main diagram.



- Keywords appear in uppercase (for example, **SIGNAL**). They must be spelled exactly as shown but you can type them in upper, lower, or mixed case. Variables appear in all lowercase letters (for example, *index*). They represent user-supplied names or values.
- If punctuation marks, parentheses, arithmetic operators, or such symbols are shown, you must enter them as part of the syntax.

The following example shows how the syntax is described:



3. Getting Help and Submitting Feedback

The Open Object Rexx Project has a number of methods to obtain help and submit feedback for ooRexx and the extension packages that are part of ooRexx. These methods, in no particular order of preference, are listed below.

3.1. The Open Object Rexx SourceForge Site

Open Object Rexx utilizes SourceForge to house its source repositories, mailing lists and other project features at <https://sourceforge.net/projects/ooRexx>. ooRexx uses the Developer and User mailing lists at <https://sourceforge.net/p/ooRexx/mailman> for discussions concerning ooRexx. The ooRexx user is most likely to get timely replies from one of these mailing lists.

Here is a list of some of the most useful facilities provided by SourceForge.

The Developer Mailing List

Subscribe to the oorexx-devel mailing list at <https://sourceforge.net/projects/oorexx/lists/oorexx-devel> to discuss ooRexx project development activities and future interpreter enhancements. You can find its archive of past messages at <https://sourceforge.net/p/oorexx/mailman/oorexx-devel>.

The Users Mailing List

Subscribe to the oorexx-users mailing list at <https://sourceforge.net/projects/oorexx/lists/oorexx-users> to discuss how to use ooRexx. It also supports a historical archive of past messages.

The Announcements Mailing List

Subscribe to the oorexx-announce mailing list at <https://sourceforge.net/projects/oorexx/lists/oorexx-announce> to receive announcements of significant ooRexx project events.

The Bug Mailing List

Subscribe to the oorexx-bugs mailing list at <https://sourceforge.net/projects/oorexx/lists/oorexx-bugs> to monitor changes in the ooRexx bug tracking system.

Bug Reports

You can view ooRexx bug reports at <https://sourceforge.net/p/oorexx/bugs>. To be able to create new bug reports, you will need to first register for a SourceForge userid at <https://sourceforge.net/user/registration>. When reporting a bug, please try to provide as much information as possible to help developers determine the cause of the issue. Sample program code that can reproduce your problem will make it easier to debug reported problems.

Documentation Feedback

You can submit feedback for, or report errors in, the documentation at <https://sourceforge.net/p/oorexx/documentation>. Please try to provide as much information in a documentation report as possible. In addition to listing the document and section the report concerns, direct quotes of the text will help the developers locate the text in the source code for the document. (Section numbers are generated when the document is produced and are not available in the source code itself.) Suggestions as to how to reword or fix the existing text should also be included.

Request For Enhancement

You can suggest new ooRexx features or enhancements at <https://sourceforge.net/p/oorexx/feature-requests>.

Patch Reports

If you create an enhancement patch for ooRexx please post the patch at <https://sourceforge.net/p/oorexx/patches>. Please provide as much information in the patch report as possible so that the developers can evaluate the enhancement as quickly as possible.

Please do not post bug fix patches here, instead you should open a bug report at <https://sourceforge.net/p/oorexx/bugs> and attach the patch to it.

The ooRexx Forums

The ooRexx project maintains a set of forums that anyone may contribute to or monitor. They are located at <https://sourceforge.net/p/oorexx/discussion>. There are currently three forums available: Help, Developers and Open Discussion. In addition, you can monitor the forums via email.

3.2. The Rexx Language Association Mailing List

The Rexx Language Association maintains a forum at <https://groups.io/g/rexxla-members/topics>.

4. Related Information

See also: *Open Object Rexx: Reference*

Introduction

RxMath is a Rexx utility package that enables you to use enhanced mathematical functions.

The function names in the Rexx Mathematical Functions package are similar to the names of their corresponding mathematical functions.

The precision of calculation depends on:

- The value specified when the command is issued
- The numeric digits settings of the calling Rexx activity



Note

Precision is limited to 16 digits. If a precision larger than 16 digits is specified, the resulting precision will be 16 digits.

1.1. Using the RxMath package

The Rexx Mathematical Functions package is contained in the library *rxmath*, with the appropriate file name for the operating system. This library must be loadable by the operating system using the normal procedure for the system. For instance, on Windows the file must be placed in a directory listed in your PATH. When installing ooRexx from any of the installation packages, the details of where the file is placed are handled automatically.

Beginning with ooRexx 4.0.0, a more robust process is used to load external functions. To get access to the functions in the Rexx Mathematical Functions package, use a `::requires` directive. For example:

```
say 'The square root of 3 is:' RxCalcSqrt(3)

::requires 'rxmath' LIBRARY
```

Existing code that used the previous process to load external functions:

```
call rxfuncadd "MathLoadFuncs", "rxmath", "MathLoadFuncs"
```

does not need to be changed. However, both **MathLoadFuncs()** and **MathDropFuncs()** are nops in ooRexx 4.0.0 and later.

1.2. Error Handling and Function Returns

Error 40 (Incorrect call to routine) is raised if either the wrong number of arguments or incorrect data is passed to a function.

If a mathematical function fails, the function will return *nan*, *+infinity*, and *-infinity* as appropriate. These returns are consistent on all operating systems.

1.3. Package Limitations

The RxMath package internally uses the corresponding C library math functions to perform the actual calculations. These C functions are limited to values of the C numeric type of **double**. All numeric

arguments passed to the RxMath package functions are truncated (if needed) in order to convert them to the C **double** type.

Functions

Most function names in the Rexx Mathematical Functions package are similar to the names of their corresponding mathematical functions. Note that in ooRexx 4.0.0 and later, the **MathLoadFuncs()** and **MathDropFuncs()** are nops.

- MathLoadFuncs()
- MathDropFuncs()
- RxCalcSqrt()
- RxCalcExp()
- RxCalcLog()
- RxCalcLog10()
- RxCalcSinH()
- RxCalcCosH()
- RxCalcTanH()
- RxCalcPower()
- RxCalcSin()
- RxCalcCos()
- RxCalcTan()
- RxCalcCotan()
- RxCalcPi()
- RxCalcArcSin()
- RxCalcArcCos()
- RxCalcArcTan()

2.1. MathLoadFuncs()



Beginning with ooRexx 4.0.0 this function is basically a nop. Use:

```
::requires 'rxmath' LIBRARY
```

to gain access to the functions in the package.


However, if this function is called with a single, string, parameter, the copyright information is printed.

2.2. MathDropFuncs()



This function is a nop in ooRexx 4.0.0 and later. It does nothing.

2.3. RxCalcSqrt()



Returns the absolute value of the square root of number.

Parameters:


number

The number whose square root you wish to calculate.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.4. RxCalcExp()



Returns the exponential function of number.

Parameters:


number

The number for which you wish to calculate the exponential function.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.5. RxCalcLog()



Returns the natural logarithm (base e) of number.

Parameters:


number

The number for which you wish to calculate the natural logarithm.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.6. RxCalcLog10()



Returns the base 10 logarithm of *number*.

Parameters:


number

The number for which you wish to calculate the base 10 logarithm.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.7. RxCalcSinH()



Returns the hyperbolic sine of *number*.

Parameters:


number

The number for which you wish to calculate the hyperbolic sine.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.8. RxCalcCosH()



Returns the hyperbolic cosine of *number*.

Parameters:


number

The number for which you wish to calculate the hyperbolic cosine.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.9. RxCalcTanH()



Returns the hyperbolic tangent of *number*.

Parameters:


number

The number for which you wish to calculate the hyperbolic tangent.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.10. RxCalcPower()



Returns the value of mathematical expression *number1* raised to the power of exponent *number2*.

Parameters:

number1

The mathematical expression to be raised to the power of exponent *number2*.


number2

The exponent to which *number1* is to be raised.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.11. RxCalcSin()



Returns the sine value for *number*, where *number* is the angle size, expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The angle size, expressed in degree [D], radian [R], or grade [G] units.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the angle size is expressed in degrees. This is the default.


R

Indicates that the angle size is expressed in radians.

G

Indicates that the angle size is expressed in grades.

2.12. RxCalcCos()



Returns the cosine value for number, where number is the angle size, expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The angle size, expressed in degree [D], radian [R], or grade [G] units.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the angle size is expressed in degrees. This is the default.


R

Indicates that the angle size is expressed in radians.

G

Indicates that the angle size is expressed in grades.

2.13. RxCalcTan()



Returns the tangent value for number, where number is the angle size, expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The angle size, expressed in degree [D], radian [R], or grade [G] units.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the angle size is expressed in degrees. This is the default.


R

Indicates that the angle size is expressed in radians.

G

Indicates that the angle size is expressed in grades.

2.14. RxCalcCotan()



Returns the cotangent value for number, where number is the angle size, expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The angle size, expressed in degree [D], radian [R], or grade [G] units.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the angle size is expressed in degrees. This is the default.


R

Indicates that the angle size is expressed in radians.

G

Indicates that the angle size is expressed in grades.

2.15. RxCalcPi()




Returns the value of pi.

Parameters:

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

2.16. RxCalcArcSin()



Returns the arcsine of number, where the result can be expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The number for which the arcsine is to be calculated.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the result is expressed in degrees. This is the default.


R

Indicates that the result is expressed in radians.

G

Indicates that the result is expressed in grades.

2.17. RxCalcArcCos()



Returns the arccosine of number, where the result can be expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The number for which the arccosine is to be calculated.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the result is expressed in degrees. This is the default.


R

Indicates that the result is expressed in radians.

G

Indicates that the result is expressed in grades.

2.18. RxCalcArcTan()



Returns the arctangent of number, where the result can be expressed in degree [D], radian [R], or grade [G] units.

Parameters:

number

The number for which the arctangent is to be calculated.

precision

The precision of the calculation. If a value is not specified, the precision of the calling Rexx activity is used. Precision is limited to 16 digits.

D

Indicates that the result is expressed in degrees. This is the default.

R

Indicates that the result is expressed in radians.

G

Indicates that the result is expressed in grades.

Appendix A. Notices

Any reference to a non-open source product, program, or service is not intended to state or imply that only non-open source product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Rexx Language Association (RexxLA) intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-open source product, program, or service.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-open source products was obtained from the suppliers of those products, their published announcements or other publicly available sources. RexxLA has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-RexxLA packages. Questions on the capabilities of non-RexxLA packages should be addressed to the suppliers of those products.

All statements regarding RexxLA's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

A.1. Trademarks

Open Object Rexx™ and ooRexx™ are trademarks of the Rexx Language Association.

The following terms are trademarks of the IBM Corporation in the United States, other countries, or both:

1-2-3
AIX
IBM
Lotus
OS/2
S/390
VisualAge

AMD is a trademark of Advanced Micro Devices, Inc.

Intel, Intel Inside (logos), MMX and Pentium are trademarks of Intel Corporation in the United States, other countries, or both.

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

A.2. Source Code For This Document

The source code for this document is available under the terms of the Common Public License v1.0 which accompanies this distribution and is available in the appendix [Appendix B, Common Public License Version 1.0](#). The source code is available at <https://sourceforge.net/p/oorexx/code-0/HEAD/tree/docs/>.

The source code for this document is maintained in DocBook SGML/XML format.



The railroad diagrams were generated with the help of "Railroad Diagram Generator" located at <https://github.com/GuntherRademacher/rr>. Special thanks to Gunther Rademacher for creating and maintaining this tool.



Appendix B. Common Public License

Version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

B.1. Definitions

"Contribution" means:

1. in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
2. in the case of each subsequent Contributor:
 - a. changes to the Program, and
 - b. additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

B.2. Grant of Rights

1. Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
2. Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
3. Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement

of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

4. Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

B.3. Requirements

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

1. it complies with the terms and conditions of this Agreement; and
2. its license agreement:
 - a. effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - b. effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - c. states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - d. states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

1. it must be made available under this Agreement; and
2. a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

B.4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

B.5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

B.6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

B.7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Appendix C. Revision History

Revision 0-0 Aug 2016

Initial creation for 5.0

Index

A

arccosine value of a number, 9
arcsine value of a number, 9
arctangent value of a number, 10

B

base 10 logarithm, 5

C

Common Public License, 13
cosine value of a number, 7
cotangent value of a number, 8
CPL, 13

E

exponential, 4

F

functions

- RxCalcArcCos, 9
- RxCalcArcSin, 9
- RxCalcArcTan, 10
- RxCalcCos, 7
- RxCalcCosH, 5
- RxCalcCotan, 8
- RxCalcExp, 4
- RxCalcLog, 4
- RxCalcLog10, 5
- RxCalcPi, 8
- RxCalcPower, 6
- RxCalcSin, 6
- RxCalcSinH, 5
- RxCalcSqrt, 4
- RxCalcTan, 7
- RxCalcTanH, 5

H

hyperbolic cosine of a number, 5
hyperbolic sine of a number, 5
hyperbolic tangent of a number, 5

L

License, Common Public, 13
License, Open Object Rexx, 13
logarithm, base 10, 5
logarithm, natural, 4

M

MathDropFuncs (nop), 3
MathLoadFuncs (nop), 3

N

natural logarithm, 4
Notices, 11
number to a power, raise a, 6
number, arccosine value of a, 9
number, arcsine value of a, 9
number, arctangent value of a, 10
number, cosine value of a, 7
number, cotangent value of a, 8
number, hyperbolic cosine of a, 5
number, hyperbolic sine of a, 5
number, hyperbolic tangent of a, 5
number, sine value of a, 6
number, tangent value of a, 7

O

ooRexx License, 13
Open Object Rexx License, 13

P

pi, value of, 8

R

raise a number to a power, 6
RxCalcArcCos, 9
RxCalcArcSin, 9
RxCalcArcTan, 10
RxCalcCos, 7
RxCalcCosH, 5
RxCalcCotan, 8
RxCalcExp, 4
RxCalcLog, 4
RxCalcLog10, 5
RxCalcPi, 8
RxCalcPower, 6
RxCalcSin, 6
RxCalcSinH, 5
RxCalcSqrt, 4
RxCalcTan, 7
RxCalcTanH, 5

S

sine value of a number, 6
square root of a number, 4

T

tangent value of a number, 7

V

value of pi, 8